

Wetlands Bureau Decision Report

Decisions Taken
08/29/2011 to 09/04/2011

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2011-01209 OSS�PEE BLUFFS ASSOCIATION INC **OSS�PEE Ossipee Lake**

Requested Action:

After the Fact approval to dredge organic material from 11250 sq ft of lakebed on Ossipee Lake, in Ossipee.

Conservation Commission/Staff Comments:

Con Com requests 40 day hold, no follow up comments by Aug 29, 2011

APPROVE AFTER THE FACT:

Dredge of organic material from 11,250 sq ft of lakebed on Ossipee Lake, in Ossipee.

With Conditions:

1. All work was completed in accordance with plans by White Mountain Survey dated June 31, 2011, as received by the NH Department of Environmental Services (DES) on July 13, 2011.
2. Dredged material shall have been placed outside of the jurisdiction of the DES Wetlands Bureau.
3. Any request for subsequent dredging shall require a new application and permit from the Wetland Bureau prior to any work in jurisdiction.
4. All future activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.1

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(g), removal of more than 20 cubic yards of material from public waters and Env-Wt 303.02(h), projects which disturb more than 200 linear feet along the shoreline of a lake.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The organic matter was previously dredged from this same area under another Emergency Authorization in 2010.

-Send to Governor and Executive Council-

2011-01416 SANDPIPER BAY CONDOMINIUM ASSOCIATION, DENNIS EARY **HAMPTON Unnamed Wetland**

Requested Action:

Temporarily impact 544 sq. ft. of tidal wetlands for the construction of a temporary wooden walkway to provide access to the work areas under the decks for repairs to deteriorated deck supports, foundation and footings. A rip-rap apron will be installed under the decks for erosion control.

Conservation Commission/Staff Comments:

"The [Hampton] Conservation Commission does not oppose the granting of the wetlands permit for the repairs to the damaged deck supports and foundations as well as the installation of riprap underneath the decks at 571 Winnacunnet Rd." with recommendations for project specific conditions.

APPROVE PERMIT:

Temporarily impact 544 sq. ft. of tidal wetlands for the construction of a temporary wooden walkway to provide access to the work

areas under the decks for repairs to deteriorated deck supports, foundation and footings. A rip-rap apron will be installed under the decks for erosion control.

With Conditions:

1. All work shall be in accordance with plans by Applicant/Permittee dated 6/14/2011, as received by the NH Department of Environmental Services (DES) on June 16, 2011.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff and the Hampton Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. All construction debris and refuse material shall be removed from site and properly disposed of outside of the jurisdiction of the DES Wetlands Bureau.
5. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Work shall be done during periods of low tide.
8. Tidal wetland area(s) where the temporary wooden walkway is placed shall have at least 75% successful re-establishment of tidal wetlands vegetation after two (2) growing seasons, or it shall be replanted and re-established until a functional tidal wetland (salt marsh) is replicated in a manner satisfactory to the DES Wetlands Bureau.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(a)&(k), projects in tidal wetlands or identified by DRED/NHI as an exemplary natural community.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) and (c) for tidal projects, Requirements for Application Evaluation, has been considered in the design of the project.
5. DES Staff conducted a field inspection of the proposed project on August 11, 2011. Field inspection determined the foundation & deck supports are highly deteriorated and in need of repair/reconstruction. There will be minimal temporary disturbance to the adjacent salt marsh.

**2011-01434 FIDELITY CORPORATE REAL ESTATE LLC
MERRIMACK Unnamed Wetland**

Requested Action:

Dredge and fill a total of 25,673 sq. ft. in wetlands jurisdiction for work associated with repairs, restoration and bank stabilization, utilizing bioengineering methodology and re-establishing native vegetation, of two (2) irrigation/fire ponds which have been damaged by fluctuating water levels and frequent trampling by wayward waterfowl.

Conservation Commission/Staff Comments:

No report or comments were received from the Merrimack Conservation Commission on this application.

APPROVE PERMIT:

Dredge and fill a total of 25,673 sq. ft. in wetlands jurisdiction for work associated with repairs, restoration and bank stabilization, utilizing bioengineering methodology and re-establishing native vegetation, of two (2) irrigation/fire ponds which have been damaged by fluctuating water levels and frequent trampling by wayward waterfowl.

With Conditions:

1. All work shall be in accordance with plans by VHB/Vanasse Hangen Brustlin, Inc. dated June, 9,2011 as received by the NH Department of Environmental Services (DES) on June 17, 2011.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff shall be notified in writing prior to commencement of work and upon its completion.
4. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Work shall be done during low flow conditions.
7. Any unauthorized ducks and geese found loitering around these ponds after restoration shall be dealt with accordingly.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(c).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. This is a pro-active restoration project to abate shoreline erosion and re-establish native wetlands vegetation around the perimeter of the two ponds.

2011-01589 R & K MARINA & LAND COMPANY INC
LACONIA Lake Winnepesaukee

Requested Action:

Applicant proposes to add 7 slips to a major docking facility currently providing of 29 slips on an average of 542 feet of frontage in Paugus Bay, in Laconia.

Conservation Commission/Staff Comments:

Con Com submitted comments; are fuel and waste station to be built, and where are the new storage facilities to be built.

DENY PERMIT:

Applicant proposes to add 7 slips to a major docking facility currently providing of 29 slips on an average of 542 feet of frontage in Paugus Bay, in Laconia.

With Findings:

Standards for Approval

1. In accordance with RSA 482-A:3, Excavating and Dredging Permits, "[n]o person shall excavate, remove, fill, dredge or construct any structures in or on any bank, flat, marsh, or swamp, or in an adjacent to any waters of the state without a permit from the department."
2. In accordance with Rule Env-Wt 303.02 (d), Major Projects, construction or modification of major docking system as defined by Env-Wt 101.56 shall be classified as a major project.
3. Pursuant to Rule Env-Wt 101.56, Major Docking System, means a large and complex docking facility that requires utilization of more than 100 feet of waterfront or provides a total of 5 or more boat slips, including those previously existing and proposed.
4. Pursuant to RSA 482-A:2, VIII, (a), on Lake Winnepesaukee, a "boat slip" is defined as a volume of water 25 feet long, 8 feet wide, and 3 feet deep as measured at normal high water and located adjacent to a structure to which a watercraft may be secured.
5. In accordance with Rule Env-Wt 402.16, (a), (2), Marinas - Design Standards, the standard for marinas shall be one slip for every 25' of shoreline. More slips shall be permitted if the marina is enclosed by land of the applicant, or other evidence is provided to the department which indicates that the increase is in the public interest. High demand for slips shall be insufficient to establish a public interest. If evidence is provided which shows that the project would pose a navigational hazard, fewer slips shall be permitted.

6. In accordance with Env-Wt 402.16 Marinas - Design Standards. (b) "Applicants for marina construction or expansion shall provide the department with plans showing designated wash areas for seasonal vessel cleaning, storm water runoff and treatment designs, the location of abrasive blasting, painting operations, and hull sanding, and the location and disposal method for oil or other waste products if these items or services are present.
7. In accordance with Env-Wt 402.21, "Modification of Existing Structures. The department shall not approve any change in size, location, or configuration of an existing structure unless the applicant demonstrates, and the department finds, that the modification is less environmentally-impacting or provides for fewer boat slips and less construction surface area over public submerged lands than the current configuration."

Findings of Fact

1. On July 5, 2011, the Wetlands Bureau received an application for surface water impacts on the lot identified as Laconia lot 42, tax map 345 to add 7 slips to an existing, 29 slip, major docking facility on an average of 542 feet of frontage on Lake Winnepesaukee.
2. On August 10, 2011, the Wetlands Bureau received corrected plans that correctly depict the location of the existing pump out station within the docking facility.
3. The applicant has an average of 547 feet of shoreline frontage in Paugus Bay, on Lake Winnepesaukee.
4. The expansion of a 29 slip docking facility is classified as a major impact per Rule Env-Wt 303.02, (d).
5. The existing docking structure was permitted by DES under Permit # 1996-00359. This permit authorized the construction of docking structures within a facility that would specifically provide 21 seasonal slips and 8 permanent slips to be used to provide access by the public.
6. Pursuant to Env-Wt 402.16, Marinas, the 547 feet of frontage is only sufficient for 21 slips.
7. The existing docking system provides 29 slips on this frontage. This exceeds the criteria of Env-Wt 402.16 by 8 slips.
8. The plans submitted did not include all the requirements of Rule 402.16(b) for plan required information on the plans.

Rulings in Support of Denial

1. The existing marina exceeds the criteria set forth in Env-Wt 402.16. The addition of 7 more slips to the docking structure further exceeds the criteria set forth in Env-Wt 402.16, therefore pursuant to RSA 482-A:3, the application is denied.
2. The proposed docking structure provides more slips and more square feet of docking structure over public submerged lands and does not meet the criteria pursuant to Env-Wt 402.21, therefore the application is denied.
3. The applicant has not submitted evidence indicating the need for the additional slips, therefore the application is denied.

MINOR IMPACT PROJECT

2011-01541 NH DEPT OF TRANSPORTATION
HOLDERNESS Unnamed Stream Owl Brook

Requested Action:

Temporary scour protection will be replaced with a concrete toe wall under the eastern undermined abutment and partially grouted riprap will be placed upstream and downstream impacting 1,879 sq. ft. (420 sq. ft. temporary) of riverine wetlands.

Conservation Commission/Staff Comments:

Cons. Comm. - no comments

Inspection Date: 08/24/2011 by Gino E Infascelli

APPROVE PERMIT:

Temporary scour protection will be replaced with a concrete toe wall under the eastern undermined abutment and partially grouted

riprap will be placed upstream and downstream impacting 1,879 sq. ft. (420 sq. ft. temporary) of riverine wetlands. NHDOT project #99043Z.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Bridge Maintenance dated 5/2011, as received by the Department on June 28, 2011.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Unconfined work within the stream, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
4. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
5. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
6. Temporary cofferdams shall be entirely removed immediately following construction.
7. Construction equipment shall not be located within surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
10. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
14. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
15. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
16. The impacts associated with the temporary work shall be restored immediately following construction.
17. Invasive species found on site shall be identified, flagged and handled in accordance with the BEST MANAGEMENT PRACTICES FOR ROADSIDE INVASIVE PLANTS - 2008 manual by the New Hampshire Department of Transportation.
18. Partially grouted rip rap shall be minimized to the extent possible.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(1), alteration of less than 200 linear feet of stream and banks.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. At this same location the Permit by Notification, file 2010-02243, was deemed complete on October 7, 2010. The work was to: Repair cracked abutment by removing concrete in area surrounding crack. Reinforcing steel will be placed and cofferdams will be setup temporarily impacting 612 sq. ft. of riverine wetlands.
6. On March 11, 2011, the applicant requested and the DES approved additional unanticipated work at the same location.
7. On August 24, 2011, DES Staff conducted a field inspection of the proposed project. Inspection found the temporary stabilization conducted under permit 2010-02243 was still secure and that an invasive species had established itself within the

proposed work area.

2011-01608 DARTMOUTH COLLEGE TRUSTEES
LEBANON Unnamed Wetland

Requested Action:

Dredge and fill 2,900 square feet of wetlands for the construction of an exclusive right turn lane on Etna Road at the Route 120 intersection, and an exclusive right turn lane on North LaBombard Road at the Etna Road intersection, as traffic mitigation for a hotel and conference center off North LaBombard Road.

APPROVE PERMIT:

Dredge and fill 2,900 square feet of wetlands for the construction of an exclusive right turn lane on Etna Road at the Route 120 intersection, and an exclusive right turn lane on North LaBombard Road at the Etna Road intersection, as traffic mitigation for a hotel and conference center off North LaBombard Road.

With Conditions:

1. All work shall be in accordance with plans by Holden Engineering & Surveying Inc. entitled Chaloux Properties LLC. (Sheets 1-2 and 11 of 11) dated June 14, 2011 as received by the Department on July 07, 2011.
2. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized.
3. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
4. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
5. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
8. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
11. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
12. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a minor project per Administrative Rule Env-Wt 303.03 (h) Projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands, nontidal surface waters, or banks adjacent to nontidal surface waters which exceed the criteria of Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.

4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
5. This project is associated with DES Wetlands File 2010-00037.
6. The Lebanon Conservation Commission recommended the application not be approved. Additional comments, sent to the DES Commissioner's office and the Alteration of Terrain program, indicated concerns with the cumulative impacts, rainbow trout downstream, wildlife habitat (ducks), and that the wetland is valuable.
7. This project was reviewed as cumulative with 2010-00037.
8. The wetland impacts are along the edge of the existing roadways road and the larger higher function and value wetland will not be directly impacted.
9. DES staff conducted a site inspection on August 10, 2011. During the inspection DES staff observed that traffic in the area was heavy; the wetlands had numerous invasive plant species; there were no flowing stream channels; and the wetlands were dry.
10. The road improvements are required as a condition of the Planning Board approval associated with a proposed hotel and conference center.
11. The roadway embankments have been designed with a 3H:1V slopes to minimize the volume of fill within the wetlands. The side slopes will be vegetated.
12. The District Engineer provided a written statement that the New Hampshire Department of Transportation is a co-applicant for this project since the work occurs with our Right-of-Way.
13. The applicant has provided a letter from the owner of Lebanon tax map 50 lots 28 and 29 granting permission to act on their behalf.
14. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

2011-01695 SHEEHAN, THOMAS
PITTSBURG Back Lake

Requested Action:

Replace 50 linear feet of existing retaining wall within an existing single slip dug in boat slip on Back Lake, Pittsburg.

Conservation Commission/Staff Comments:

No Con Com signature on Exp Application

APPROVE PERMIT:

Replace 50 linear feet of existing retaining wall within an existing single slip dug in boat slip on Back Lake, Pittsburg.

With Conditions:

1. All work shall be in accordance with plans as received by the NH Department of Environmental Services (DES) on July 25, 2011.
2. This permit does not allow dredging of the boatslip for any purpose.
3. Repair shall maintain existing size, location and configuration.
4. Dredged or excavated material and construction debris shall be placed outside of the DES Wetlands Bureau jurisdiction.
5. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall be replaced.
6. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
8. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(j), repair of existing retaining walls which require work in the water.

MINIMUM IMPACT PROJECT

2011-01438 S & N NORTHWOOD REALTY ASSOC LLC
ROCHESTER Unnamed Wetland

Requested Action:

Retain 500 sq. ft. of fill within wetlands and installation of a culvert for the construction of a driveway to access uplands.

APPROVE AFTER THE FACT:

Retain 500 sq. ft. of fill within wetlands and installation of a culvert for the construction of a driveway to access uplands.

With Conditions:

1. All work shall be in accordance with plans and all descriptive details by Geometres Blue Hills, LLC dated May 23, 2011, as received by the Department on June 16, 2011.
2. Any further alteration of DES Wetlands Bureau jurisdictional areas on this property will require a new application and further permitting by the DES Wetlands Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 sq. ft. in swamps or wet meadows that not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k).
2. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Administrative Rule Env-Wt 302.03.
3. This proposal meets the criteria of Chapter Wt 300 for approvable minimum impact projects.
4. The NH Natural Heritage has no record of sensitive species within the vicinity of this project.

FORESTRY NOTIFICATION

2011-02040 SAWYER, PETER
KENSINGTON Unnamed Stream

COMPLETE NOTIFICATION:

Kensington Tax Map 10, Lot# 17

2011-02041 CORLISS, LESLIE
WEBSTER Unnamed Stream

COMPLETE NOTIFICATION:

Webster Tax Map 7, Lot# 11

2011-02042 CONDE, JOHN
NORTHFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Northfield Tax Map/ Lot# 7/19C,19D & 11/32-2

2011-02043 CHAMBERLAIN, CRAIG
MIDDLETON Unnamed Stream

COMPLETE NOTIFICATION:
Middleton Tax Map 22, Lot# 8,8.1

2011-02055 STOOPS, WILLIAM & SALLY
FREEDOM Unnamed Stream

COMPLETE NOTIFICATION:
Freedom Tax Map 9, Lot# 18

2011-02057 IADONISI REALTY TRUST
HILLSBOROUGH Unnamed Stream

COMPLETE NOTIFICATION:
Hillsboro Tax Map 1, Lot# 3 & 4

2011-02067 RICHARDS, JAMES/BARBARA
LEMPSTER Unnamed Stream

COMPLETE NOTIFICATION:
Lempster Tax Map 225, Lot# 20

2011-02069 PALLADINO FAMILY TRUST, MARIANNE
ACWORTH Unnamed Stream

COMPLETE NOTIFICATION:
Acworth Tax Map/Lot# 239/13 & 240/3

2011-02070 WALPOLE, TOWN OF
WALPOLE Unnamed Stream

COMPLETE NOTIFICATION:
Walpole Tax Map 7, Lot# 6

2011-02071 JONES, WEBSTER
CENTER CONWAY Unnamed Stream

COMPLETE NOTIFICATION:

Center Conway Tax Map 257, Lot# 10

2011-02078 **CHESTER, TOWN OF**
CHESTER **Unnamed Wetland**

COMPLETE NOTIFICATION:

Chester Tax Map 7, Lot# 60-2, 61,62

EXPEDITED MINIMUM

2011-01796 **POSNER, MARION**
TAMWORTH **Unnamed Wetland**

Requested Action:

Dredge and fill 700 square feet of wetlands for the construction of a driveway to access to a single family residence. Work in jurisdiction includes the installation of an 18 inch culvert.

APPROVE PERMIT:

Dredge and fill 700 square feet of wetlands for the construction of a driveway to access to a single family residence. Work in jurisdiction includes the installation of an 18 inch culvert.

With Conditions:

1. All work shall be in accordance with plans by Fernstone Associates for the Natural Resources entitled Wetland Impact for the Posner Property as received by DES on July 27, 2011.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized.
3. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
4. Work shall be done during periods of non-flow.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. The culvert shall be laid at original grade.
7. Proper headwalls shall be constructed within seven days of culvert installation.
8. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a Minimum Impact Project per Env-Wt 303.04 (f) Projects involving alteration of less than 3,000 square feet in swamps

or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.

4. The Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.

5. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program, the Natural Heritage Bureau, or the Conservation Commission.

AGRICULTURE MINIMUM

2011-00584 BICKFORD JR, WESLEY BRUCE
WALPOLE Unnamed Wetland

Requested Action:

Amend permit to include the irrigation water supply portion of the project, which was included in the original application submittal.

APPROVE AMENDMENT:

Dredge and fill \pm 48 sq. ft. of palustrine forested wetlands for spring box rehabilitation; temporarily impact \pm 150 sq. ft. of palustrine forested wetlands and unnamed intermittent stream to install a buried waterline for agricultural use; and dredge and fill \pm 1,140 of wet meadow wetland and intermittent stream for irrigation water supply installation.

With Conditions:

1. All work shall be done in accordance with plans by USDA-NRCS, dated July 06, 2011, and received by the NH Department of Environmental Services (DES) on July 06, 2011; and restoration sequence by USDA-NRCS, dated June 08, 2011, as received by the DES Wetlands Bureau on June 08, 2011.
2. All work shall adhere to the standards of the "Best Management Wetlands Practices for Agriculture," NH Dept. of Agriculture, September 1998.
3. Any change in use to a non-agricultural purpose will require further permitting by the DES Wetlands Bureau.
4. This permit shall be recorded with the county Registry of Deeds office by the permittee.
5. Work shall be completed in low flow conditions.
6. Stream work shall be completed in the dry.
7. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
8. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
9. Temporary impact areas shall be regraded to original contours following completion of work.
10. Seed mix within the temporary impact areas shall be a wetland seed mix appropriate to the area and shall be applied in accordance with manufacturers' specifications.
11. Mulch used within the temporary impact areas shall be natural straw or equivalent.
12. Wetland temporary impact areas shall be properly constructed, landscaped, monitored and remedial actions taken that may be necessary to create functioning wetland areas similar to those of the wetlands destroyed by the project. Remedial measures may include replanting, relocating plantings, removal of invasive species, changing soil composition and depth, changing the elevation of the wetland surface, and changing the hydrologic regime.
13. Stream temporary impact areas shall be properly constructed, landscaped, monitored and remedial actions taken that may be necessary to create a healthy riverine system that is replicated in a manner satisfactory to the DES Wetlands Bureau. Remedial measures may include replanting, relocating plantings, removal of invasive species, changing stream sinuosity, changing the slope of the stream, and changing the hydrologic regime.
14. Post-construction photographs documenting the status of the completed project shall be submitted to the DES Wetlands Bureau

within sixty (60) days of the completion of construction.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(u), Maintenance or improvement of existing crop or pasture land for continued agricultural use, provided the project is in accordance with a plan developed to standards of the "Best Management Wetland Practices for Agriculture", N.H. department of agriculture, dated July 16, 1993, amended September 1998.
2. The application was amended on July 06, 2011, to remove the irrigation water supply portion of the project.
3. In email correspondence dated July 22, 2011, the DES Watershed Management Bureau indicated approval for the irrigation water supply portion of the project, which was under review by the Watershed Management Bureau, is not required.
4. The DES Watershed Management Bureau stated that although approval is not required, water quality standards must be met. Therefore, surface water quantity must be maintained at levels adequate to protect existing and designated uses.
5. Based on the DES Watershed Management Bureau's decision, the project was amended for a second time on August 29, 2011, to include the irrigation water supply.
6. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
7. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
8. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

GOLD DREDGE

2011-02062 WEBER, JASON
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

TRAILS NOTIFICATION

2011-02003 SPNHF
NEW DURHAM Unnamed Stream Unnamed Wetlands

COMPLETE NOTIFICATION:
New Durham Tax Map/Lot# 251/2,3 & 252/82

ROADWAY MAINTENANCE NOTIF

2011-02119 JEFFERSON, TOWN OF
JEFFERSON Unnamed Wetland

COMPLETE NOTIFICATION:

Replace an existing 18" culvert in kind

2011-02120 JEFFERSON, TOWN OF
JEFFERSON Unnamed Wetland

COMPLETE NOTIFICATION:

Replace an existing 18" culvert in kind

2011-02121 NH DEPT OF TRANSPORTATION
CANTERBURY Unnamed Stream Unnamed Wetland

COMPLETE NOTIFICATION:

Replace a 12" RCP with a 15" RCP and a 48" culvert in kind

2011-02122 NH DEPT OF TRANSPORTATION
CLAREMONT Unnamed Stream Unnamed Wetland

COMPLETE NOTIFICATION:

Remove silt and sand from inlet & outlet of an existing 18" culvert and repair headers

2011-02123 NH DEPT OF TRANSPORTATION
CORNISH Unnamed Stream Unnamed Wetland

COMPLETE NOTIFICATION:

Remove silt and sand from inlet & outlet of an existing 18" culvert and repair headers

2011-02124 NH DEPT OF TRANSPORTATION
PLAINFIELD Unnamed Stream Unnamed Wetland

COMPLETE NOTIFICATION:

Remove silt and sand from inlet & outlet of an 18" culvert and repair headers

2011-02125 NH DEPT OF TRANSPORTATION
JACKSON Unnamed Stream

COMPLETE NOTIFICATION:

Replace two existing 15"x 40' culverts

2011-02144 NH FISH & GAME DEPARTMENT
DURHAM Unnamed Wetland

COMPLETE NOTIFICATION:

Replace an existing 9" culvert with a 12" culvert

2011-02145 NH DEPT OF TRANSPORTATION
LISBON Unnamed Stream

COMPLETE NOTIFICATION:

Fifty feet of ditchline dredging and headwall repair

PERMIT BY NOTIFICATION

2011-00891 PISAPIA, RALPH
MEREDITH Lake Winnepesaukee

Requested Action:

Applicant proposes to repair an existing docking structure on Lake Winnepesaukee, Meredith.

Conservation Commission/Staff Comments:

Con Com signed PBN form

PBN DISQUALIFIED:

Applicant proposes to repair an existing docking structure on Lake Winnepesaukee, Meredith.

With Findings:

Applicant did not submit the requested information, pursuant to Env-Wt 506.02, the Permit by Notification is disqualified.

CSPA PERMIT

2011-01676 DWYER, BRENDA/JEFFREY
HANOVER Connecticut River

Requested Action:

Impact 7,468 sq ft in order to expand existing house, convert garage into apartment, construct septic system, modify driveway, install an in-ground pool and a well.

APPROVE PERMIT:

Impact 7,468 sq ft in order to expand existing house, convert garage into apartment, construct septic system, modify driveway, install an in-ground pool and a well.

With Conditions:

1. All work shall be in accordance with plans by Hogg Hill Design, LLC dated August 15, 2011 and received by the NH Department of Environmental Services (DES) on August 16, 2011.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 12.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 6,394 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in

order to comply with RSA 483-B:9, V, (b), (2).

5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01760 BOENECKE, BLAKE
WASHINGTON Highland Lake

Requested Action:

Impact 3,692 sq ft in order to construct a 2 bedroom home, septic and well.

APPROVE PERMIT:

Impact 3,692 sq ft in order to construct a 2 bedroom home, septic and well.

With Conditions:

1. All work shall be in accordance with plans by Monadnock Septic Design LLC dated August 12, 2011 and received by the NH Department of Environmental Services (DES) on August 15, 2011. 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 14.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 1,822 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01862 GRANTHAM, TOWN OF
GRANTHAM Sugar River

Requested Action:

Impact 117,261 sq ft for the purpose of constructing a new gravel access driveway and sports fields.

APPROVE PERMIT:

Impact 117,261 sq ft for the purpose of constructing a new gravel access driveway and sports fields.

With Conditions:

1. All work shall be in accordance with plans by TFMoran Inc. dated May 30th, 2011 and received by the Department of Environmental Services ("DES") on August 3, 2011.
2. No more than 4.4% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. This permit is contingent upon receiving all necessary approvals from the NH DES Wetlands Bureau for proposed impacts jurisdictional under RSA 482-A.
4. No impacts shall occur to natural ground covers within the waterfront buffer.
5. In order to remain compliant with RSA 483-B:9, V, (b), (2), the 8,586 sq ft of unaltered area between 50 ft and 150 ft of the reference line, as delineated on each plan titled, "Post-Construction Impervious Plan" and received by DES must remain in an unaltered state.
6. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on areas determined to remain in an unaltered state.
7. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
8. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
9. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
10. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
11. Any fill used shall be clean sand, gravel, rock, or other suitable material.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
14. Silt fencing must be removed once the area is stabilized.
15. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
16. Upon completion of the proposed project, the exiting septic system shall pose no threat to adjacent surface waters.

2011-01899 CORNEAU, RYAN
RAYMOND Lamprey River

Requested Action:

Impact 240 sq ft in order to expand a deck within the woodland buffer.

APPROVE PERMIT:

Impact 240 sq ft in order to expand a deck within the woodland buffer.

With Conditions:

1. All work shall be in accordance with plans by Ryan Corneau dated August 8, 2011 and received by the NH Department of Environmental Services (DES) on August 8, 2011.
2. No more than 9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 21,604 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01911 HANSON, TRACY
WARNER Tom Pond

Requested Action:

Impact 5,768 sq ft in order to remove an existing structure and construct a new structure with new leach field.

APPROVE PERMIT:

Impact 5,768 sq ft in order to remove an existing structure and construct a new structure with new leach field.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services, Inc. dated August 1, 2011 and received by the NH Department of Environmental Services (DES) on August 8, 2011.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 19.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,907 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2011-01916 WILSON, JANET & ROBERT
WEARE Mt Williams Pond

Requested Action:

Impact 469 sq ft in order to retain fill to support shed on existing gravel surface.

APPROVE PERMIT:

Impact 469 sq ft in order to retain fill to support shed on existing gravel surface.

With Conditions:

1. All work shall be in accordance with plans by Dahlberg Land Services, Inc. dated July 21, 2011 and received by the NH Department of Environmental Services (DES) on August 7, 2011.
2. No more than 19.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 5,849 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in

order to comply with RSA 483-B:9, V, (b), (2).

4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01933 BELVISO, JOHN/KELLY
MEREDITH Winnisquam Lake

Requested Action:

Impact 4,092 sq ft in order to relocate a driveway and revegetate the easement to be abandoned.

APPROVE PERMIT:

Impact 4,092 sq ft in order to relocate a driveway and revegetate the easement to be abandoned.

With Conditions:

1. All work shall be in accordance with plans by Schauer Environmental Consultants, LLC dated July 7, 2011 and received by the NH Department of Environmental Services (DES) on August 10, 2011.
2. No more than 16.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 4,018 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01934 NH FISH & GAME DEPARTMENT
WILMOT Eagle Pond

Requested Action:

Impact 12,268 sq ft in order to reconstruct existing gravel parking lot, terrace footpath, install "car-top" boat launch access, and construct a plunge pool and level spreader.

APPROVE PERMIT:

Impact 12,268 sq ft in order to reconstruct existing gravel parking lot, terrace footpath, install "car-top" boat launch access, and

construct a plunge pool and level spreader.

With Conditions:

1. All work shall be in accordance with plans by Fay, Spofford & Thorndike, LLC dated June 11, 2011 and received by the NH Department of Environmental Services (DES) on August 10, 2011.
2. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
3. No more than 5.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 17,028 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2011-01941 NH DEPT OF TRANSPORTATION
EPPING Lamprey River

Requested Action:

Impact 10,132 sq ft in order to reconstruct and widening of intersection.

APPROVE PERMIT:

Impact 10,132 sq ft in order to reconstruct and widening of intersection.

With Conditions:

1. All work shall be in accordance with plans by CHA dated July 18, 2011 and received by the NH Department of Environmental Services (DES) on August 10, 2011.
2. Within the Shorelands jurisdiction, any changes of impacted area outside of the area permitted by Shorelands Bureau must be approved before any action takes place.
3. No more than 41% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 13,124 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01965 COLBY, LINDA/PETER
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 5,180 sq ft for the purpose of constructing an addition and attached garage off an existing dwelling, implementing driveway improvements and a storm water management system (drip lines and infiltration trenches), installing a new septic system; and allowing vegetation to re-establish throughout 1,000 sq ft of altered area to revert to an unaltered state.

APPROVE PERMIT:

Impact 5,180 sq ft for the purpose of constructing an addition and attached garage off an existing dwelling, implementing driveway improvements and a storm water management system (drip lines and infiltration trenches), installing a new septic system; and allowing vegetation to re-establish throughout 1,000 sq ft of altered area to revert to an unaltered state.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated July 12, 2011 and received by the NH Department of Environmental Services (DES) on August 15, 2011.
2. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 29.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 1,090 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. This approval is contingent upon the re-vegetation of 1,000 sq ft of altered area, located between 50 ft and 150 ft of the reference line, which is to revert back to an unaltered state.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01966 CHAUVETTE, MICHAEL
ERROL Akers Pond

Requested Action:

Impact 6,180 sq ft (1,600 sq ft permanent impacts) for the purpose of constructing a dwelling and onsite septic system.

APPROVE PERMIT:

Impact 6,180 sq ft (1,600 sq ft permanent impacts) for the purpose of constructing a dwelling and onsite septic system.

With Conditions:

1. All work shall be in accordance with plans by Wells Excavators dated August 8, 2011 and received by the NH Department of Environmental Services (DES) on August 15, 2011.
2. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface

Systems Bureau.

3. No more than 13.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 1,241 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2011-01968 ANGLACE, THEODORE
NORTHWOOD North River Lake

Requested Action:

Impact 2,175 sq ft for the purpose of installing a new onsite septic system.

APPROVE PERMIT:

Impact 2,175 sq ft for the purpose of installing a new onsite septic system.

With Conditions:

1. All work shall be in accordance with plans by Berry Surveying & Engineering dated July 28, 2011 and received by the NH Department of Environmental Services (DES) on August 15, 2011. 2. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 24.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,007.5 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01969 GRANT, CHRISTOPHER/MARTHA
SANDWICH Squam Lake

Requested Action:

Impact 13,377 sq ft for the purpose of constructing a garage addition, driveway expansion and associated improvements, and installing a new effluent disposal system.

APPROVE PERMIT:

Impact 13,377 sq ft for the purpose of constructing a garage addition, driveway expansion and associated improvements, and installing a new effluent disposal system.

With Conditions:

1. All work shall be in accordance with plans by B.A. Barnard Enterprises, Inc. dated July 2011 and received by the NH Department of Environmental Services (DES) on August 15, 2011.
2. All actions associated with the installation of the proposed effluent disposal system are contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 11.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 6,702.6 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-01993 CRAM, RICHARD
GILFORD Lake Winnepesaukee

Requested Action:

Impact 7,540 sq ft (2,778 sq ft permanent impacts) for the purpose of razing a residential structure, garage, and accessory structures and constructing a new residential structure with attached garage and driveway improvements.

APPROVE PERMIT:

Impact 7,540 sq ft (2,778 sq ft permanent impacts) for the purpose of razing a residential structure, garage, and accessory structures and constructing a new residential structure with attached garage and driveway improvements.

With Conditions:

1. All work shall be in accordance with plans by David M. Dolan Associates, P.C. dated August 15, 2011 and received by the NH Department of Environmental Services (DES) on August 17, 2011.
2. No more than 36.79% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.

With Findings:

1. This project will result in a net decrease in post-construction impervious area located within the protected shoreland on the property.

2011-01995 DEFEO, STEPHEN
STRAFFORD Bow Lake

Requested Action:

Impact 11,413 sq ft (5,009 sq ft permanent impact) for the purpose of constructing a single family home, detached garage, driveway, and associated impacts and utilities.

APPROVE PERMIT:

Impact 11,413 sq ft (5,009 sq ft permanent impact) for the purpose of constructing a single family home, detached garage, driveway, and associated impacts and utilities.

With Conditions:

1. All work shall be in accordance with plans by Geometres Blue Hills, LLC dated August 12, 2011 and received by the NH Department of Environmental Services (DES) on August 17, 2011.
2. Any alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a separate application and further permitting by the Bureau. Specifically the proposed perch beach, steps, and 6 ft x 40 ft docking structure will require a separate permit from the DES Wetlands Bureau.
3. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface Systems Bureau."
4. No more than 6.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. At least 7,719 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2011-01999 MCNEMAR, ROBERT
STODDARD Highland Lake

Requested Action:

Impact 3,516 sq ft for the purpose of constructing a single family home, a detached garage, and onsite septic system.

APPROVE PERMIT:

Impact 3,516 sq ft for the purpose of constructing a single family home, a detached garage, and onsite septic system.

With Conditions:

1. All work shall be in accordance with plans by Aspen Environmental Consultants, LLC received by the NH Department of Environmental Services (DES) on August 17, 2011.
2. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 17% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional

approval is obtained from DES.

4. At least 1,566 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2011-02007 CORBETT, CHARLOTTE/DAVID
LACONIA Winnisquam Lake

Requested Action:

Impact 570 sq ft for the purpose of constructing a new accessory structure, walkway and retaining wall.

APPROVE PERMIT:

Impact 570 sq ft for the purpose of constructing a new accessory structure, walkway and retaining wall.

With Conditions:

1. All work shall be in accordance with plans by Sandford Surveying and Engineering, LLC, dated May 16, 2011 and received by the Department of Environmental Services ("DES") on August 18, 2011.
2. No more than 19.3% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
4. In order to remain compliant with RSA 483-B:9, V, (b), (2), at least 11,766 sq ft of unaltered area between 50 ft and 150 ft of the reference line, as delineated on plans received by DES must remain in an unaltered state.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. Silt fencing must be removed once the area is stabilized.
13. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2011-02010 LIETO, MAUREEN/TIMOTHY
TUFTONBORO Lake Winnepesaukee

Requested Action:

Impact 2,206 sq ft for the purpose of constructing a new accessory structure.

APPROVE PERMIT:

Impact 2,206 sq ft for the purpose of constructing a new accessory structure.

With Conditions:

1. All work shall be in accordance with plans by Folsom Design Group dated August 15, 2011 and received by the Department of Environmental Services ("DES") on August 18, 2011.
2. No more than 29.40 of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. The vegetation proposed to be planted within the waterfront buffer shall be monitored and, if necessary, replaced to ensure 100% survival rate for a period two years following construction.
5. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
6. In order to remain compliant with RSA 483-B:9, V, (b), (2), the 2,620 sq ft of unaltered area between 50 ft and 150 ft of the reference line, as delineated on plans received by DES must remain in an unaltered state.
7. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
8. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
9. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
10. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
11. Any fill used shall be clean sand, gravel, rock, or other suitable material.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
14. Silt fencing must be removed once the area is stabilized.

2011-02014 THE CRONIN FAMILY TRUST 2011
ALTON BAY Lake Winnepesaukee

Requested Action:

Impact 4,695 sq ft for the purpose of expanding the footprint of a conforming, primary structure, constructing an attached garage and regrading activities.

APPROVE PERMIT:

Impact 4,695 sq ft for the purpose of expanding the footprint of a conforming, primary structure, constructing an attached garage and regrading activities.

With Conditions:

1. All work shall be in accordance with plans by Benchmark Engineering, Inc., dated January 25, 2011 and received by the Department of Environmental Services ("DES") on July 20, 2011.
2. No more than 36.2% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. This permit is contingent upon receiving all necessary approvals from the NH DES Subsurface Systems Bureau.

4. All area proposed to be converted from gravel area to pervious surfaces shall be stabilized and replanted upon completion of the proposed project.
5. No impacts shall occur to natural ground covers within the waterfront buffer.
6. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
7. In order to remain compliant with RSA 483-B:9, V, (b), (2), there shall be no impacts to native vegetation or natural ground cover between 50 feet and 150 feet from the reference line.
8. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
9. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
10. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
11. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
12. Any fill used shall be clean sand, gravel, rock, or other suitable material.
13. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
14. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
15. Silt fencing must be removed once the area is stabilized.

2011-02022 SPINOZA, RAYMOND
LACONIA Lake Winnepesaukee

Requested Action:

Impact 3,215 sq ft for the purpose of exapnding the footprint of a conforming, primary structure and construcing an attached garage.

APPROVE PERMIT:

Impact 3,215 sq ft for the purpose of exapnding the footprint of a conforming, primary structure and construcing an attached garage.

With Conditions:

1. All work shall be in accordance with plans by Folsom Design and Construction Management, dated July 20, 2011 and received by the Department of Environmental Services ("DES") on August 22, 2011.
2. No more than 40.0% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. No impacts shall occur to natural ground covers within the waterfront buffer.
5. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
6. In order to remain compliant with RSA 483-B:9, V, (b), (2), there shall be no impacts to native vegetation or natural ground cover between 50 feet and 150 feet from the reference line.
7. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
8. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
9. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
10. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
11. Any fill used shall be clean sand, gravel, rock, or other suitable material.

12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
14. Silt fencing must be removed once the area is stabilized.

2011-02024 AUSTIN REVOC TRUST OF 1992, JUNE
WEBSTER Lake Winnepocket

Requested Action:

Impact 3,340 sq ft for the purpose of installing a new foundation.

APPROVE PERMIT:

Impact 3,340 sq ft for the purpose of installing a new foundation.

With Conditions:

1. All work shall be in accordance with plans by Meredian Land Services, Inc., dated August 17, 2011 and received by the Department of Environmental Services ("DES") on August 22, 2011.
2. No more than 13.0% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. No impacts shall occur to natural ground covers within the waterfront buffer beyond that necessary to install the new foundation.
4. The vegetation proposed to be planted within the waterfront buffer shall be monitored and, if necessary, replaced to ensure 100% survival rate for a period two years following construction.
5. The vegetation planted within the bio-retention areas shall not be removed without the written approval of DES.
6. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
7. In order to remain compliant with RSA 483-B:9, V, (b), (2), at least 10,879 sq ft of unaltered area between 50 ft and 150 ft of the reference line, as delineated on received by DES must remain in an unaltered state.
8. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
9. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
10. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
11. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
12. Any fill used shall be clean sand, gravel, rock, or other suitable material.
13. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
14. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
15. Silt fencing must be removed once the area is stabilized.

2011-02028 CURRIE, PATRICIA
SUNAPEE Lake Sunapee

Requested Action:

Impact 2,130 sq ft for the purpose of constructing a new detached garage, trenching associated with underground utilities and installing stormwater controls.

APPROVE PERMIT:

Impact 2,130 sq ft for the purpose of constructing a new detached garage, trenching associated with underground utilities and installing stormwater controls.

With Conditions:

1. All work shall be in accordance with plans by CLD Consulting Engineers, LLC., dated August, 2011 and received by the Department of Environmental Services ("DES") on August 22, 2011.
2. No more than 28.1% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. The proposed stormwater treatment measures shall be designed, installed and maintained to effectively intercept and infiltrate stormwater.
4. No impacts shall occur to natural ground covers within the waterfront buffer.
5. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
6. In order to remain compliant with RSA 483-B:9, V, (b), (2), at least 2,500 sq ft of unaltered area between 50 ft and 150 ft of the reference line, as delineated on plans titled, "Proposed Site Plan" and received by DES must remain in an unaltered state.
7. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on areas determined to remain in an unaltered state.
8. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
9. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
10. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
11. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
12. Any fill used shall be clean sand, gravel, rock, or other suitable material.
13. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
14. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
15. Silt fencing must be removed once the area is stabilized.

2011-02059 WESTLAKE, CRAIG/JANE
CENTER BARNSTEAD Upper Suncook Lake

Requested Action:

Impact 3,330 sq ft for the purpose of expanding the footprint of a nonconforming primary structure and installing stormwater controls.

APPROVE PERMIT:

Impact 3,330 sq ft for the purpose of expanding the footprint of a nonconforming primary structure and installing stormwater controls.

With Conditions:

1. All work shall be in accordance with plans by Stoney Ridge Environmental, LLC., dated July 18, 2011 and received by the Department of Environmental Services ("DES") on August 25, 2011.
2. No more than 28.5% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. This permit is contingent upon receiving all necessary approvals from the NH DES Subsurface Systems Bureau.

4. The proposed stormwater treatment measures shall be designed, installed and maintained to effectively intercept and infiltrate stormwater.
5. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
6. No impacts shall occur to natural ground covers within the waterfront buffer.
7. The vegetation planted within the bio-retention areas shall be monitored, and if necessary, replaced, to ensure 100% survival rate for a period two years following construction.
8. The vegetation proposed to be planted within the waterfront buffer shall be monitored and, if necessary, replaced to ensure 100% survival rate for a period two years following construction.
9. In order to remain compliant with RSA 483-B:9, V, (b), (2), the 567 sq ft of unaltered area between 50 ft and 150 ft of the reference line, as delineated on plans received by DES must remain in an unaltered state.
10. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on areas determined to remain in an unaltered state.
11. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
12. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
13. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
14. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
15. Any fill used shall be clean sand, gravel, rock, or other suitable material.
16. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
17. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
18. Silt fencing must be removed once the area is stabilized.

With Findings:

1. The existing non-conforming structure is located within the 50 ft primary building setback to Upper Suncook Lake and, therefore, fails to conform to the setback restriction set forth in RSA 483-B:9, II (b), of the CSPA.
2. In accordance with RSA 483-B:11, I, nonconforming primary structures may be altered or expanded provided the structure is not expanded closer to public waters and the proposal or property is made more nearly conforming than the existing structure or the existing conditions of the property.
3. The applicant has proposed to decrease the impervious area within the protected shoreland by 128 sq ft.
4. The applicant has proposed to install multiple stormwater controls consisting of infiltration trenches, drip-line trenches, infiltration steps, pervious technologies and rain gardens.
5. The applicant has proposed to remove impervious area from the waterfront buffer and replant with native vegetation.
6. The applicant has proposed to install sound stormwater controls and significantly enhance the waterfront buffer, and therefore, is more nearly conforming in accordance with RSA 483-B:11, I.

CSPA PERMIT W/WAIVER

2007-02333 SUTHERLAND, MARTI/TIMOTHY
PIERMONT Tarleton Lake

Requested Action:

Replace two existing primary structures within the primary building setback (the "Setback") with a proposed primary structure on property with approximately 350 ft of frontage on Lake Tarleton in Piermont.

Inspection Date: 10/15/2007 by Thomas Gilbert

APPROVE AMENDMENT:

Replace two existing primary structures within the primary building setback (the "Setback") with a proposed primary structure on property with approximately 350 ft of frontage on Lake Tarleton in Piermont.

WAIVER APPROVED: RSA 483-B:9, II(b) is waived to allow the expansion of a primary structure that encroaches upon the primary building setback.

AMENDMENT APPROVED: Amend permit to make subtle adjustments to proposed impervious area footprint.

With Conditions:

1. All work shall be conducted in accordance with revised building plans, stormwater control plans and landscape plans by Pathways Consulting, LLC dated August 5, 2011 and received by DES on August 11, 2011.
2. This Waiver shall not be effective unless and until it has been recorded at the Grafton County Registry of Deeds and a copy of the recorded document is sent to DES by certified mail, return receipt requested.
3. Neither the Owner nor any subsequent owner shall construct, expand, install or otherwise create any impervious surfaces within the Setback other than those shown on revised building plans by Pathways Consulting, LLC dated May 19, 2008 and received by DES on May 22, 2008.
4. This Waiver shall run with the land and be binding upon the Owner and all subsequent owners of the Subject Property.
5. This permit is contingent upon receiving all necessary approvals from the NH DES Subsurface Systems Bureau.
6. The proposed stormwater treatment measures shall be designed, installed and maintained to effectively intercept and infiltrate stormwater.
7. No impacts shall occur to natural ground covers within the waterfront buffer.
8. The vegetation planted within both the bio-retention areas and the waterfront buffer shall be monitored, and if necessary, replaced, to ensure 100% survival rate for a period two years following construction.
9. The vegetation proposed to be planted within the waterfront buffer shall be monitored and, if necessary, replaced to ensure 100% survival rate for a period two years following construction.
10. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
11. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
12. The Applicant shall install the proposed septic system within 2 months of completion of the proposed primary structure.
13. The contractor/owner responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
14. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
15. A copy of the recorded Waiver shall be posted on site during construction in a prominent location visible to inspecting personnel.
16. This Waiver does not exempt the owner from obtaining any other necessary local, state or federal permits or approvals.
17. The owner shall maintain compliance with all other applicable requirements of the Comprehensive Shoreland Protection Act, RSA 483-B.
18. DES and the town of Piermont, pursuant to RSA 483-B:8, III, shall have the right to enforce the terms and conditions of this Waiver, including collection of their reasonable costs and attorneys' fees in bringing any such action.
19. The authorization provided herein is contingent upon compliance with all conditions specified. In the event any condition is violated, the State or town of Piermont may seek appropriate relief, including but not limited to removal of the structure authorized by this waiver.

With Findings:

1. The existing structures, as identified on the town of Piermont Tax Map R15 Lot 3, are located within the 50 ft Setback to public waters and, therefore, fail to conform to the setback restriction set forth in RSA 483-B:9, II, of the Comprehensive Shoreland

Protection Act ("CSPA").

2. The existing structures are located approximately 13 ft from the reference line, at their closest point, have a maximum ridgeline height of approximately 28 ft and a combined footprint of approximately 1,184 sq ft, providing approximately 1,612 sq ft of living space.
3. The proposed structure will be located approximately 20 ft from the reference line, have a ridgeline height of approximately 33 ft and a footprint of approximately 1,862 sq ft, providing approximately 2,536 sq ft of living space.
4. In accordance with RSA 483-B:11, II, the commissioner shall review proposals which are more nearly conforming than the existing structures, and may waive some of the standards specified in RSA 483-B:9, so long as there is at least the same degree of protection provided to the public waters and the proposal is "more nearly conforming." More nearly conforming "means a proposal for significant changes to the location or size of the existing structures that bring the structures into greater conformity, or a proposal for changes to other aspects of the property, including but not limited to stormwater management, wastewater treatment or traffic volume or flow, or both types of proposal which significantly improve wildlife habitat or resource protection."
5. The Applicant has proposed to install a new septic system in place of an existing outhouse.
6. The Applicant has proposed to remove two existing sheds and two existing outhouses occupying a total of approximately 137 sq ft.
7. The Applicant has proposed to install stormwater controls consisting of 2 bioretention areas on the northern and southern ends of the proposed primary structure as depicted on revised stormwater control plans by Pathways Consulting, LLC dated May 19, 2008 and received by DES on May 22, 2008.
8. The Applicant has proposed to plant native vegetation including Balsam Fir, Sugar Maple, Canadian Hemlock, Regent Serviceberry, Black Chokeberry, Sweet Pepperbush, Winterberry Holly, Bar Harbor Juniper, Spicebush, White Cedar, Northern Arrowwood Viburnum, Witherod Viburnum, Silky Dogwood, Swamp Azalea, Pussy Willow, American Elderberry and Highbush Blueberry along the shoreline, around the proposed house and within the proposed bioretention areas.
9. The Applicant has proposed to reduce the allowable construction envelope to maintain a 10 ft undisturbed vegetative buffer along the shoreline.
10. The Applicant has proposed to construct a portion of the proposed driveway with approximately 440 sq ft of porous "Grasspave2" brand grass pavers
11. The Applicant's proposal will increase the setback of the primary structure from the reference line by approximately 7 ft, and includes a new septic system, stormwater controls and native plantings.
12. Based on this information, the Department has determined that the Applicant's proposal is more nearly conforming with RSA 483-B, the CSPA, and provides at least the same degree of protection to the public waters, and, therefore, meets the requirements of RSA 483-B:11, II to be eligible for a waiver.

Requested Action:

Replace two existing primary structures within the primary building setback (the "Setback") with a proposed primary structure on property with approximately 350 ft of frontage on Lake Tarleton in Piermont.

APPROVE CSPA WAIVER:

Replace two existing primary structures within the primary building setback (the "Setback") with a proposed primary structure on property with approximately 350 ft of frontage on Lake Tarleton in Piermont.

With Conditions:

1. All work shall be conducted in accordance with revised building plans, stormwater control plans and landscape plans by Pathways Consulting, LLC dated May 19, 2008 and received by DES on May 22, 2008.
2. This Waiver shall not be effective unless and until it has been recorded at the Grafton County Registry of Deeds and a copy of the recorded document is sent to DES by certified mail, return receipt requested.
3. Neither the Owner nor any subsequent owner shall construct, expand, install or otherwise create any impervious surfaces within the Setback other than those shown on revised building plans by Pathways Consulting, LLC dated May 19, 2008 and received by DES on May 22, 2008.
4. This Waiver shall run with the land and be binding upon the Owner and all subsequent owners of the Subject Property.
5. Unnecessary removal of vegetation within the shoreland during construction shall be prohibited.
6. All planted vegetation shall be native and consistent with surrounding natural vegetation on the property and surrounding properties. Planting invasive or exotic species is prohibited.
7. All proposed vegetation shall be planted by July 1, 2009. Plantings shall have a 90% survival success rate by October 31, 2009. An initial monitoring report shall be submitted to DES by November 15, 2009 documenting the success of the plantings. In the

event that construction is delayed, the Applicant shall submit a written request to DES to plant the proposed vegetation at a later date.

8. There shall be no substitutions made for the plant species specified on the approved plan without prior written approval from DES.

9. All proposed porous pavers shall be installed and maintained in accordance with the manufacturer's specifications

10. This waiver is contingent on review and approval of the project by the DES Subsurface Systems Bureau.

11. The Applicant shall install the proposed septic system within 2 months of completion of the proposed primary structure.

12. The contractor/owner responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

13. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

14. A copy of the recorded Waiver shall be posted on site during construction in a prominent location visible to inspecting personnel.

15. This Waiver does not exempt the owner from obtaining any other necessary local, state or federal permits or approvals.

16. The owner shall maintain compliance with all other applicable requirements of the Comprehensive Shoreland Protection Act, RSA 483-B.

17. DES and the town of Piermont, pursuant to RSA 483-B:8, III, shall have the right to enforce the terms and conditions of this Waiver, including collection of their reasonable costs and attorneys' fees in bringing any such action.

18. The authorization provided herein is contingent upon compliance with all conditions specified. In the event any condition is violated, the State or town of Piermont may seek appropriate relief, including but not limited to removal of the structure authorized by this waiver.

With Findings:

1. The existing structures, as identified on the town of Piermont Tax Map R15 Lot 3, are located within the 50 ft Setback to public waters and, therefore, fail to conform to the setback restriction set forth in RSA 483-B:9, II, of the Comprehensive Shoreland Protection Act ("CSPA").

2. The existing structures are located approximately 13 ft from the reference line, at their closest point, have a maximum ridgeline height of approximately 28 ft and a combined footprint of approximately 1,184 sq ft, providing approximately 1,612 sq ft of living space.

3. The proposed structure will be located approximately 20 ft from the reference line, have a ridgeline height of approximately 33 ft and a footprint of approximately 1,862 sq ft, providing approximately 2,536 sq ft of living space.

4. In accordance with RSA 483-B:11, II, the commissioner shall review proposals which are more nearly conforming than the existing structures, and may waive some of the standards specified in RSA 483-B:9, so long as there is at least the same degree of protection provided to the public waters and the proposal is "more nearly conforming." More nearly conforming "means a proposal for significant changes to the location or size of the existing structures that bring the structures into greater conformity, or a proposal for changes to other aspects of the property, including but not limited to stormwater management, wastewater treatment or traffic volume or flow, or both types of proposal which significantly improve wildlife habitat or resource protection."

5. The Applicant has proposed to install a new septic system in place of an existing outhouse.

6. The Applicant has proposed to remove two existing sheds and two existing outhouses occupying a total of approximately 137 sq ft.

7. The Applicant has proposed to install stormwater controls consisting of 2 bioretention areas on the northern and southern ends of the proposed primary structure as depicted on revised stormwater control plans by Pathways Consulting, LLC dated May 19, 2008 and received by DES on May 22, 2008.

8. The Applicant has proposed to plant native vegetation including Balsam Fir, Sugar Maple, Canadian Hemlock, Regent Serviceberry, Black Chokeberry, Sweet Pepperbush, Winterberry Holly, Bar Harbor Juniper, Spicebush, White Cedar, Northern Arrowwood Viburnum, Witherod Viburnum, Silky Dogwood, Swamp Azalea, Pussy Willow, American Elderberry and Highbush Blueberry along the shoreline, around the proposed house and within the proposed bioretention areas.

9. The Applicant has proposed to reduce the allowable construction envelope to maintain a 10 ft undisturbed vegetative buffer along the shoreline.

10. The Applicant has proposed to construct a portion of the proposed driveway with approximately 440 sq ft of porous "Grasspave2" brand grass pavers

11. The Applicant's proposal will increase the setback of the primary structure from the reference line by approximately 7 ft, and includes a new septic system, stormwater controls and native plantings.
12. Based on this information, the Department has determined that the Applicant's proposal is more nearly conforming with RSA 483-B, the CSPA, and provides at least the same degree of protection to the public waters, and, therefore, meets the requirements of RSA 483-B:11, II to be eligible for a waiver.

2011-01813 NEALON, JENNIFER
PORTSMOUTH North Mill Pond

Requested Action:

Reduce 9 sq ft of deck within the waterfront buffer and impact 160 sq ft in order to add an addition to the north side of a residential primary structure.

APPROVE PERMIT:

Reduce 9 sq ft of deck within the waterfront buffer and impact 160 sq ft in order to add an addition to the north side of a residential primary structure.

With Conditions:

1. All work shall be in accordance with plans by Jonathan Wyckoff dated July 1, 2011 and received by the NH Department of Environmental Services (DES) on July 28, 2011.
2. No more than 16.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2011-02091 NEW ENGLAND POWER COMPANY
ALEXANDRIA Unnamed Wetland

COMPLETE NOTIFICATION:

Replacement of a bell on Structure #437 on the B202 line off of Perkins Hill Rd.

2011-02092 NEW ENGLAND POWER COMPANY
ANDOVER Unnamed Wetland

COMPLETE NOTIFICATION:

Replacement of a bell on structure #573 on the B202 line on Racoon Hill Road

**2011-02099 NEW ENGLAND POWER COMPANY
DUNBARTON Black Brook**

COMPLETE NOTIFICATION:

Maintenance and repairs on structures #799, 786 on the B202 line

**2011-02100 NEW ENGLAND POWER COMPANY
HILL Unnamed Wetland**

COMPLETE NOTIFICATION:

Maintenance and repairs to structures #535, 525, & 519 on the B202 line

**2011-02101 NEW ENGLAND POWER COMPANY
GOFFSTOWN Unnamed Wetland**

COMPLETE NOTIFICATION:

Maintenance and repairs to structures #872, 868, 859, 854, 851, 849, 841 on the B202 line

**2011-02107 NEW ENGLAND POWER COMPANY
HOPKINTON Unnamed Wetland**

COMPLETE NOTIFICATION:

Maintenance and repair on structure #715 on the B202 line

**2011-02108 NEW ENGLAND POWER COMPANY
LITCHFIELD Unnamed Wetland**

COMPLETE NOTIFICATION:

Maintenance and repair on structures #941 & 945 involving bell replacement

**2011-02109 NEW ENGLAND POWER COMPANY
SALISBURY Unnamed Wetland**

COMPLETE NOTIFICATION:

Maintenance and repair on structure #5965 on the B202 line involving bell replacement

**2011-02110 NEW ENGLAND POWER COMPANY
WENTWORTH Unnamed Wetland**

COMPLETE NOTIFICATION:

Maintenance and repair on structures #280 & 322 on the B202 lin involving bell replacement

**2011-02128 UNITIL SERVICE CORP
STRATHAM Unnamed Wetland**

COMPLETE NOTIFICATION:

Equipment repair and maintenance to existing pipeline